The collection of data below provides a snapshot of Metropolitan's financial landscape, operational dynamics, and strategies for providing reliable water service to our member agencies in an economically responsible way. The tables cover a wide variety of information such as revenue sources, expenses, changes in net position in the last decade, taxation, debt management, customer base, and the structure of water sales rates.

Water Sales Rate Structure-Current

(Dollars per acre-foot-unless otherwise specified)

| | Calendar Year (1) | | | | | | | | | |
|---|-------------------|--------|--------|-------|-------|-------|-------|--------|--------|-------|
| | 2023 | 2022 | 2021 | 2020 | 2019 | 2018 | 2017 | 2016 | 2015 | 2014 |
| Tier 1 Supply Rate | \$321 | \$243 | \$243 | \$208 | \$209 | \$209 | \$201 | \$156 | \$158 | \$148 |
| Tier 2 Supply Rate | 530 | 285 | 285 | 295 | 295 | 295 | 295 | 290 | 290 | 290 |
| System Access Rate | 368 | 389 | 373 | 346 | 326 | 299 | 289 | 259 | 257 | 243 |
| Water Stewardship Rate (2) | | | | 65 | 69 | 55 | 52 | 41 | 41 | 41 |
| System Power Rate | 166 | 167 | 161 | 136 | 127 | 132 | 124 | 138 | 126 | 161 |
| Full Service Untreated: | | | | | | | | | | |
| Tier 1 | 855 | 799 | 777 | 755 | 731 | 695 | 666 | 594 | 582 | 593 |
| Tier 2 | 1,064 | 841 | 819 | 842 | 817 | 781 | 760 | 728 | 714 | 735 |
| Treatment Surcharge | 354 | 344 | 327 | 323 | 319 | 320 | 313 | 348 | 341 | 297 |
| Full Service Treated: | | | | | | | | | | |
| Tier 1 | 1,209 | 1,143 | 1,104 | 1,078 | 1,050 | 1,015 | 979 | 942 | 923 | 890 |
| Tier 2 | 1,418 | 1,185 | 1,146 | 1,165 | 1,136 | 1,101 | 1,073 | 1,076 | 1,055 | 1,032 |
| Capacity Charge (\$ per cubic foot second) | 10,600 | 12,200 | 10,700 | 8,800 | 8,600 | 8,700 | 8,000 | 10,900 | 11,100 | 8,600 |
| Readiness-to-Serve Charge (\$Millions) | 154 | 140 | 130 | 136 | 133 | 140 | 135 | 153 | 158 | 166 |

⁽¹⁾ Rates are set on a calendar year basis.

⁽²⁾ In 2021 the Water Stewardship Rate element was discontinued.

From 2021 to the present, all demand management costs are recovered by the supply rate elements.